

Title: CLINICAL AND DIAGNOSTIC DATABASE : Stephen P. BRYANT, et al.

n No.: 09/514,955

Docket No.: 532592001200

Sheet 1 of 5

1/5

TECH CENTER 1600/2900 AUG 2 8 2002




FIG. 1





FIG. 2



Inver (s): Stephen P. BRYANT, et al.


Apple on No.: 09/514,955 Docket No.: 532592001200


E 140.. 332392001200


2/5

RECEIVED
AUG 2 8 2002
TECH CENTER 1600/2900

Sheet 2 of 5







Invariant (s): Stephen P. BRYANT, et al. Apposition No.: 09/514,955
Docket No.: 532592001200

Sheet 3 of 5

3/5

TECH CENTER 1600/2900





FIG. 5

Inver (a): Stephen P. BRYANT, et al.

Applies on No.: 09/514,955 Docket No.: 532592001200

4/5



Region showing strong linkage and likely to contain a gene influencing insulin secretion

Sheet 4 of 5

-16. 6

(s): Stephen P. BRYANT, et al.

Appl. Jon No.: 09/514,955 Docket No.: 532592001200

Sheet 5 of 5

5/5

location of a gene influencing serum lipoprotein a levels Peak evidence for

Known location of the LPA gene

Map distance (cM)

TECH CENTER 1600/2900

RECEIVED AUG 2 8 2002

Chromosome 6

9

 \sim

0

 \sim